

AVORA DOORS

AVORA DOORS

**FOLDING DOOR
CURTAIN WALL
DOOR AND WINDOW**



Product Information




AVORA DOORS

A50 SERIES Aluminum Folding Door (Non thermal circuit breaker system)

Folding Door Accessories




Configuration



Function

1. Good appearance, high cost performance; Folding design can provide the clearest.
2. The design of the suspended track is not easy to produce dust and sand, the cleaning problem has been completely solved.
3. Applicable to rooms/kitchens/bars that need to be sealed sound insulation performance.

Profile Intercept



Product Information

A68 SERIES Aluminum Folding Door (Non thermal circuit breaker system)




AVORA DOORS


Folding Door Accessories



Configuration



Profile Intercept



Function

1. The door sashes are equipped with automatic locking mechanism , just press on the button and push to open . the rubber seals on the posts can protect our hand from being pinch.
2. Versatile door sash arrangement. The sash configuration can be 220/321/330/440/422/431/550/541/532.
3. Unique design of turning Corner without a post. This is amazing as it open the space view and increase space efficiency.
4. Noise, dust and weather resistance.
5. Esthetic look as there is a post between the sash which can cover up the hinges ,this also give us another advantage of easy maintenance.

Product Information




A68T SERIES Aluminum Folding Door (Thermal circuit breaker system)

Folding Door Accessories




Configuration



Function

1. Perfect for hot & cold climates to keep the ideal indoor temperature.
2. Thermal struts that create a non-conductive bridge between the outside and the inside of the door for greater energy efficiency.
3. The A68T possess excellent structural integrity, it can hold up to 100Kg sash which make wider sash a possibility.
4. The door sashes are equipped with automatic locking mechanism , just press on the button and push to open . the rubber seals on the posts can protect our hand from being pinched.
5. Versatile door sash arrangement. The sash configuration can be 220/321/330/440/422/431/550/541/532.
6. Unique design of turning Corner 45 degree joint . This ensure the perfect sealing even for the turning corner section.
7. Esthetic look . there is a post between the sashes which can cover up the hinges ,this also give us another advantage of easy maintenance.

Profile Intercept



Product Information



AVORA DOORS


A80 SERIES Aluminum Folding Door

(Non thermal circuit breaker system)


Folding Door Accessories



Configuration



Profile Intercept



Function

1. Weatherseal bi-fold door is available in the various configurations (321/330/440/422/543/532/550/660/642/633)
2. Hidden running gears at top and bottom of the concealed track to avoid jimmying.
3. Operates smoothly in all weather conditions and does not rot or rust.
4. Insulation towards dust, noise, rain and Air pollution.
5. Heavy duty design, up to 150KG per panel.
6. Special mullion design, easy to maintain or change hardware.

Product Information

A80T SERIES Aluminum Folding Door (Thermal circuit breaker system)




AVORA DOORS

Folding Door Accessories




Configuration



Function

1. Weatherseal bi-fold door is available in the various configurations (321/330/440/422/543/532/550/660/642/633)
2. Hidden running gears at top and bottom of the concealed track to avoid jimmying
3. Operates smoothly in all weather conditions and does not rot or rust.
4. Insulation towards dust, noise, rain and Air pollution.
5. Heavy duty design, up to 150KG per panel.
6. Special mullion design, easy to maintain or change hardware
7. Thermal break design with good energy efficient and have high standards of security features..

Profile Intercept



Product Information

A120 SERIES Aluminum Folding Door (Non thermal circuit breaker system)



AVORA DOORS

Folding Door Accessories



* HIDDEN HINGES
WHEN CLOSED




* S.S304 BOTTOM ROLLER
STABLE STRUCTURE AND STONG LOAD-BEARING



* UPPER ROLLERS


Configuration



Function

1. Large openings for commercial use like shopping mall, hotel, shop front, etc
2. Can span further, 5.25ft (1600mm) wide with unlimited panels.
3. Max height to 20ft (6000mm).
4. Can be configured to allow a single or double active swingin doors, allowing egress without opening the entire door system.
5. This system can both top track and bottom track load bearing for different structural load requirements.

Profile Intercept



Folding Door Residential Project Case

A50-Series



California, USA



A50-Series



New Jersey, USA



A50-Series



Florida, USA



A50-Series



Minnesota, USA



Folding Door Residential Project Case

A50-Series



Minnesota, USA



A50-Series



Arizona, USA




A50-Series



Florida, USA



A50-Series



Arizona, USA



A50-Seris



Australia,Oceania



A50-Seris



Arubatang, South America



Curtain Wall Commercial Project Case



AVORA DOORS



Michigan, North America



Jamaica, North America



Mozambique, Africa



South America Mexico



CURTAIN WALL

Curtain Wall Commercial Project Case



Asia Yemen



Cameroon, Africa



Window & Door Residential Project Case



AVORA DOORS

Casement Window



Colorado, North America



Casement Window



Pennsylvania, North America



Sliding Door



California, North America



Sliding Door



St. Martin, North America



DOOR AND WINDOW

Window & Door Residential Project Case



AVORA DOORS

Louver Window



Australia Austria



Interior Sliding Door



Western Australia, Australia



Sliding Door



New South Wales ,Australia



Louver Window



Queensland, Australia



DOOR AND WINDOW

Window & Door Residential Project Case



AVORA DOORS

Sliding Door



Queensland, Australia



Casement Window



New South Wales, Australia



Glass Swing Door



Frankie, Australia



Double Glass Hinged Door



Angola, Africa



DOOR AND WINDOW

Window & Door Residential Project Case



AVORA DOORS

Glass Hinged Door



Angola, Africa



Sliding Window



South America Panama



Sliding Window



Trinidad and Tobago, South America



Sliding Door



Europe Italy




DOOR AND WINDOW

Window & Door Residential Project Case



AVORA DOORS

Awning Hung Window



Asia Philippines



Hinged Door



Asia Thailand



68T Folding window



USA



DOOR AND WINDOW



Contact Number: +1 512-522-2284

Email: info@avoradoors.com

Website: www.AvoraDoors.com

Address: Texas Facility

1309 Ave H Grand Prairie, TX 75050