



AVORA DOORS

Facade Garage Doors.

At Avora Doors, we understand it's not just about garage doors
— it's about how they complement your home.
That's why our designs blend seamlessly with your space.



Now in a
kit-format for
serious savings

+1 512-522-2284
AvoraDoors.com
info@avoradoors.com



AVORA DOORS



Welcome to Avora Doors


We make motorised window, door and wall systems that open vertically. Elegant and strong, our systems can be customised to open up spaces that feel just right for you.

The Most Architectural Garage Door Just Got More Affordable

Imagine... as you turn into your driveway you view with pleasure one of the most prominent features of your cherished home opening before you, the Facade Garage Door. Traditionally a necessary eyesore, the door now compliments your home beautifully. Blending in with the cladding of your choice, they now open with a seamless welcome.

Meet Avora Doors latest edition to our range of innovative and highly functional products: the Facade Garage Door. This exciting new development is a first for the housing market, now available in a 'flat-pack' kit form. This means that the costs are reduced, bringing the most architectural garage door to more people.





Now in a
kit-format for
serious savings

Customised Cladding

Avora Doors customises the design of the frame to suit different cladding options. This maximizes flexibility and possibilities for the design of the entire building.

The decorative cladding industry has introduced many new, innovative finishes for buildings. People love the latest timbers or composite timbers, either as boards, battens or slats. There is imitation stone cladding for a natural look. Other options include fibre cement, aluminium, metal, imitation brick and ceramic, to name a few.

With the new Avora Doors Facade Garage Door suitable to take cladding weights up to an unprecedented 400kg there is definitely a cladding that will satisfy your unique needs.

You can even use hardwood!

Note: Avora Doors do not supply and install the cladding. The builder or project manager must take responsibility for the supply and installation of the cladding on site.

Satisfying your unique design needs

Knockdown Kit

Years of evolution have culminated in the Avora Doors Facade Garage Door. It is designed for complete ease of assembly, with no welding involved.

The Avora Doors Facade Garage Door is a knockdown kit. It ships as a flat pack, thereby greatly reducing handling and transport costs and also saving storage space.

Our evolution – your savings

Flush Finish

As you can see from our images, flush finish means the surface of your garage door and the wall surrounding it are on the same plane. We have designed the door to finish flush, using our proprietary flush finish door jambs which are L shaped and extruded from structural grade alloy.

Therefore the Facade Garage Door can be readily incorporated into the building facade (or fascia) or feature wall that faces the street.

Designed for Now and for the Future

Being in the entire building envelope game – we are one of the few garage door manufacturers to understand sustainability. In the near future, the residential buildings will need to adhere to more stringent regulations. Avora Doors are ready!

Currently AS4505 sets out the requirements for garage doors in cyclonic areas only, but it (and AS4055) is being amended to cover all areas from N1 to C4.

The Facade Garage Door has already been tested and certified to AS4505 so it can be fitted anywhere.

Made to Order

Avora Doors Facade Garage Doors are made to order for you. Specify size, colour, cladding material and the type of door, i.e., Tilt or Folding. For inquiries, you can call or email us at info@avoradoors.com or +1 512-522-2284.

Technical Datasheets are also available upon request to help you select the right product.

Standard Sizes (for custom sizes contact Avora Doors)



Tilt	SR100 Tilt	SR150 Tilt
Opening Height	2400 and 2700mm	2400 and 2700mm
Opening Width	2400 to 5600mm	5600 to 7500mm
Cladding Weight	up to 400kgs	

Folding	SR100 Folding	SR150 Folding
Opening Height	2400 to 3000mm	2500 to 3000mm
Opening Width	2400 to 5700mm	5700 to 7400mm
Cladding Weight	up to 400kgs	

Note: These sizes apply to the standard range, SLE frame type, clad with 19t Blackbutt boards, N1 Wind Classification. To determine drive through clearance height for a given opening height refer to Technical Datasheets. For inquiries, you can call or email us at info@avoradoors.com or +1 512-522-2284. Technical Datasheets are also available upon request to help you select the right product.

Flush is smart and we deliver it

Operational Diagram

Facade Garage Door – Tilt	Facade Garage Door – Folding
 <p>The door (in red) extends outside when opened.</p>	 <p>The door (in red) folds up with reduced extension inside and outside.</p>
<p>With a Facade Tilt Garage Door, there is a need for enough clearance to allow for swing space in front of the door. This door design is useful where the garage is set back from the property line.</p>	<p>The Facade Folding Garage Door swings in so there is need for enough clearance directly behind the door. It folds up so needs more head height than the Tilt version.</p>

Motorised or Manual

Although the Avora Doors Facade Garage Door can be supplied hand operated, most of our garage doors are motorised and remote controlled for ease of use and convenience. The door comes standard with a Merlin MJ3800 operator kit, with optional PE safety beam, battery backup and manual release. It includes soft start/stop, learned memory technology and sensitivity adjustment on closing. These features ensure silent operation and prevent accidents in the entrapment zone.

The motor is positioned at the top of the tracks to keep the garage looking clean, while the durable full chain drive system is completely hidden by brush seals.

Smooth, smooth operation

Consistent and Smooth Operation

Avora Doors Facade Garage Doors are perfectly counterweight

Every component is carefully designed and materials deliberately chosen to ensure there is no compromise between performance and durability.

Luxury look and operation

Motorised for Modern Projects





Concealed Design

Weight covers are designed to enclose the counterweights out of harm's way and provide a tidy aesthetic finish. Covers will wrap around, extending from the track and returning to the wall.

Colour of Your Choice

The Avora Doors Facade Garage Door is supplied in a quality assured polyester powder coat finish. The frame comes in a Mannex Black powdercoat finish as standard, designed to cleverly hide surface defects to provide an interesting tactile surface. Other colours or mill finish are available upon request*.

*For non-standard powdercoat colours, additional charges apply.

Your Project
Your Colour Choice



Proprietary Aluminium Extrusions

The exclusive range of Avora Doors aluminium extrusions, extruded from Structural grade aluminium, is used in framing and sealing, providing strength and durability.

Stainless Steel Components

All fittings, including link arms, drive ramps, link arm pins, connectors, pulley saddle pins, hinges, circlips, washers and fasteners are stainless steel.

Comprehensive Sealing System

The Avora Doors Facade Garage Door features the Avora Doors dual acoustic sealing system to seal the gap between track and door and flexes as the door opens. This is complemented with an additional nylon brush seal that seals the gap between the door and wall. The gap at the head of the door can be sealed by the Avora Doors lintel extrusion. As the door closes against the floor a bulb seal fitted under the door, compresses down and seals the gap.



Compliance to AS3959 BAL 12.5- BAL 40 is available in bush fire prone areas. Please note that any timber cladding used must be bushfire resisting timber in accordance with AS3959.

Beautiful on the outside and inside

Optional Accessories

Strip Lighting

As an optional extra the door can feature strip lighting built into its frame transoms. Illuminating when the door is open, strip lighting provides a bright and inviting entrance for the vehicle and its passengers.


Internal Insulation

As garages today can be used as habitable spaces, our luxurious door is designed so that the internal side can be insulated using 50mm thick polystyrene panelling. A smooth flat signboard is used to line the internal face of the door so the finish is neat inside and out.

Avora Doors Facade Garage Door requires side room and headroom internally to accommodate the counterweight system, pulley head, and motor if included. Refer to the product technical details on the opposite page.

An entrance that Welcomes

So luxurious you'll want to live there




Technical Details

The Avora Doors Facade Garage Door fits flush to the front and fully within the opening, so it all starts with the garage door opening.

If you're designing your new garage or want to fit a Facade Garage Door to an existing opening, our Technical Datasheet INST 010 is the place to start. We have a series of Technical Datasheets to guide you through the process.


The door requires a working side room (SR) and head room (HR) under the ceiling. So to achieve a 2400mm doorway height, the ceiling height must be at least 2700mm high. The door will open overhead within the opening, so the door thickness (T) is to be deducted from the opening height (H) to arrive at the opening clearance height. In most constructions, the clearance height is most important.

Operational Diagram Section View – Facade Tilt Garage Door



INT. ELEV: INDICATIVE ONLY: FACADE GARAGE DOOR - TILT: type SLE DRAWN SECTION VIEW A- A

Operational Diagram Section View – Facade Folding Garage Door




INT. ELEV: INDICATIVE ONLY: FACADE GARAGE DOOR - FOLDING: type SLE DRAWN SECTION VIEW A- A




What is the process to obtain a new Avora Doors Facade Garage Door?


1 Determine the Size of the Opening
 The door requires working side room and headroom inside the opening ranging from 180mm to 300mm, depending on the weight of the door.




2 Choose Cladding
 Avora Doors customises the design of the frame to suit different cladding. Avora Doors Facade Garage Doors are suitable to take cladding weights up to 400kg. Note that Avora Doors does not supply and install the cladding.




3 Choose Type of Door
 There are two types of door to choose from: Tilt, which requires more swing space in front of the door, or Folding, where the door folds up with reduced extension inside and outside. See page 3 for diagrams.




4 Choose Finishing Surface
 Choose Flush Finish if you prefer the surface of your garage door and the surrounding wall to be on the same plane. Or choose Standard Finish if you'd like the surface of your door and wall to be on different planes.




5 Choose Mode of Operation
 Avora Doors doors are supplied with either motorised or manual operation. Most of our garage doors are motorised and remote controlled for ease of use and convenience, however, you can choose manual operation.




6 Choose Colour
 The frame is supplied in a Mannex Black powdercoat finish as standard. Other colours or mill finish are available upon request, however additional charges apply.



7 Choose accessories
 • **Strip Lighting** is built into its frame transoms, which illuminate when the door is open.
 • **Internal Insulation** can be applied to the internal side by using 50mm thick polystyrene paneling. A signboard is used to line the internal face of the door.



8 Contact your Avora Doors Distributor
 Contact the Avora Doors distributor in your area with your choices. If there is none in your area, simply contact Avora Doors directly and we'll help you out.





AVORA DOORS



Experience the other Avora Doors solutions

As we are in the business of the entire building envelope, there is a Avora Doors solution for almost any opening you can imagine. To check the entire collection please visit www.AvoraDoors.com

The system in the picture above: Avora Doors Folding Doors



**Motorised doors,
windows and walls.**



AVORA DOORS

Contact Us

Phone:
+1 512-522-2284

Email:
info@avoradoors.com

Website:
www.AvaraDoors.com

Address:
Texas Facility 1309 Ave H Grand
Prairie, TX 75050