



AVORA DOORS

# ENCASA

Interior, Exterior door and partition systems



ALUMINUM WINDOWS & DOORS




AVORA DOORS

## Encasa interior, exterior door and partition systems

IMITATING THE LOOK OF OLD  
INTERIOR, EXTERIOR STEEL DOORS

With its ultra-thin profiles of only 1.14 in, Encasa combines traditional details with contemporary trends in urban design and loft style.

Supporting frames of up to 331 lbs, this interior partition system offers endless design possibilities, from single doors or double-leaf patio doors to pivot, sliding, or pocket doors. Possible finishes include a soft-close system and the addition of stiles and transoms.



# Encasa 42 Fix



The Encasa 42 Fix offers endless possibilities for framing and interior, exterior partitioning.

It features 1.14 in profiles with a flush finish between the vertical uprights and structural crosspieces.

This system allows you to create various combinations of fixed glazing, sidelights, and framed glass transoms — all with the elegant look of steel.

Technical characteristics		Encasa 42 - Fix	
Installation depth of the frame	1.63 in		
Height of the glazing lip	0.51 in		
Height of the glazing bead	0.51 in		
Possible glazing thickness	Dormant 0.24 - 0.31 in	Opening	
Visible interior height of the frame	0.63 in		
Visible exterior height of the frame	1.14 in		
Visible exterior height of the crosspiece	1.34 in		
Glass seal	EPDM		
Alloy	EN AW 6060 T66		
Maximum width	78.74 in		
Maximum height	118.11 in		
Maximum weight	331 lbs		



# Encasa 42 Hinged Doors



Featuring ultra-thin 1.14 in profiles, the Encasa 42 Hinged Door can be manufactured with frames up to 98.43 in high and 47.24 in wide.

It is available with a fully integrated lock block, maintaining the elegant look of traditional steel framing.

Technical characteristics	Encasa 42 Hinged Doors	
Installation depth of the frame	1.63 in	
Installation depth of the opening	1.30 in	
Height of the glazing bead	0.51 in	
Glazing bead height	0.51 in	
Possible glazing thickness	Dormant 0.24 - 0.31 in	Opening 0.24 - 0.31 in
Visible interior height of the sleeper	0.63 in	
Visible exterior height of the sleeper	1.14 in	
Visible exterior height of the crossbar	1.34 in	
Exterior	Possibility of rebate and flush mounting	
Interior	Possibility of rebate and flush mounting	
Glass seal	EPDM	
Alloy	EN AW 6060 T66	
Maximum width	47.24 in	
Maximum height	98.43 in	
Maximum weight	220 lbs	



# Encasa 42 Slide



The Encasa 42 Slide can be manufactured with panels up to 98.43 in high and 47.24 in wide, with each panel supporting a maximum weight of 220 lbs.

In addition to the standard closing system, a soft-close option is also available.

Technical characteristics	Encasa 42 Sliding Doors	
Installation depth of the frame	3.26 in	
Installation depth of the opening	1.30 in	
Height of the glazing lip	0.51 in	
Height of the glazing bead	0.51 in	
Possible glazing thickness	Dormant 0.24 - 0.31 in	Opening 0.24 - 0.31 in
Visible interior height of the sleeper	0.63 in - vertical / 1.73 in -horizontal	
Visible exterior height of the sleeper	1.14 in vertical / 2.24 in -horizontal	
Visible exterior height of the crossbar	1.34 in	
Glass seal	EPDM	
Alloy	EN AW 6060 T66	
Maximum width	47.24 in	
Maximum height	98.43 in	
Maximum weight	220 lbs	




# Encasa 42 Pivot



The Encasa 42 Pivot is a heavy-duty door with a distinctive design, available in sizes up to 98.43 in high and either 49.21 in or 88.58 in wide (depending on the hinge type). It can accommodate panels weighing up to 331 lbs. Like the rest of the Encasa 42 range, it features ultra-thin 1.14 in profiles for a sleek, modern look.

Technical specifications	Encasa 42 Pivot NL, XL	
Installation depth of the frame	1.63 in	
Installation depth of the opening	1.30 in	
Height of the glazing lip	0.51 in	
Height of the glazing bead	0.51 in	
Possible glazing thickness	Dormant 0.24 - 0.31 in	Opening 0.24 - 0.31 in
Visible interior height of the sleeper	0.63 in - vertical / 1.73 in -horizontal	
Visible exterior height of the sleeper	1.14 in vertical / 2.24 in -horizontal	
Visible exterior height of the crosspiece	1.34 in	
Exterior	Possibility of rebate and flush mounting	
Interior	Possibility of rebate and flush mounting	
Glass seal	EPDM	
Alloy	EN AW 6060 T66	
Maximum width	49.21 in, 88.58 in	
Maximum height	98.43 in	
Maximum weight	165 lbs, 331 lbs	





AVORA DOORS






AVORA DOORS





AVORA DOORS





AVORA DOORS





AVORA DOORS





AVORA DOORS





#### BUILDING A SUSTAINABLE HOME

Through innovative design and production processes, we provide the most sustainable door, window and building solutions for customers today and tomorrow.

#### Contact Us



Phone:  
+1 512-522-2284



Email:  
[info@avoradoors.com](mailto:info@avoradoors.com)



Website:  
[www.AvoraDoors.com](http://www.AvoraDoors.com)



Address:  
Texas Facility 1309 Ave H Grand  
Prairie, TX 75050